


**MAST ARM STYLE: CANTILEVER
POLE TYPE: WOOD**




STEEL (HOT DIP GALV)				ALUMINUM			
CATALOG NUMBER	PIPE OD (in)	NOMINAL L (ft)	RISE (in)	CATALOG NUMBER	PIPE OD (in)	NOMINAL L (ft)	RISE (in)
WP-125-2-S	1.25	2	18	WP-125-2-A	1.25	2	18
WP-2-2-S	2	2	18	WP-2-2-A	2	2	18
WP-125-2.5-S	1.25	2.5	19	WP-125-2.5-A	1.25	2.5	19
WP-2-2.5-S	2	2.5	19	WP-2-2.5-A	2	2.5	19
WP-125-4-S	1.25	4	21	WP-125-4-A	1.25	4	21
WP-2-4-S	2	4	21	WP-2-4-A	2	4	21
WP-125-6-S	1.25	6	24	WP-125-6-A	1.25	6	24
WP-2-6-S	2	6	24	WP-2-6-A	2	6	24
WP-125-8-S	1.25	8	36	WP-2-8-A	2	8	36
WP-2-8-S	2	8	36				

NOTES:

- 1) 1.25" IPS PIPE = 1.66" OD
- 2) 2" IPS PIPE = 2.38" OD

MAST ARM STYLE: CANTILEVER – SINGLE GUY
POLE TYPE: WOOD




STEEL (HOT DIP GALV)				ALUMINUM			
CATALOG NUMBER	PIPE OD (in)	NOMINAL L (ft)	RISE (in)	CATALOG NUMBER	PIPE OD (in)	NOMINAL L (ft)	RISE (in)
WPSG-125-6-S	1.25	6	24	WPSG-125-6-A	1.25	6	24
WPSG-2-6-S	2	6	24	WPSG-2-6-A	2	6	24
WPSG-125-8-S	1.25	8	36	WPSG-125-8-A	1.25	8	36
WPSG-2-8-S	2	8	36	WPSG-2-8-A	2	8	36
WPSG-125-10-S	1.25	10	39	WPSG-125-10-A	1.25	10	39
WPSG-2-10-S	2	10	39	WPSG-2-10-A	2	10	39
WPSG-125-12-S	1.25	12	50	WPSG-125-12-A	1.25	12	50
WPSG-2-12-S	2	12	50	WPSG-2-12-A	2	12	50
WPSG-125-14-S	1.25	14	65	WPSG-125-14-A	1.25	14	65
WPSG-2-14-S	2	14	65	WPSG-2-14-A	2	14	65
WPSG-125-16-S	1.25	16	81	WPSG-125-16-A	1.25	16	81
WPSG-2-16-S	2	16	81	WPSG-2-16-A	2	16	81

NOTES:

- 1) 1.25" IPS PIPE = 1.66" OD
- 2) 2" IPS PIPE = 2.38" OD

**MAST ARM STYLE: CANTILEVER – DOUBLE GUY
POLE TYPE: WOOD**




STEEL (HOT DIP GALV)				ALUMINUM			
CATALOG NUMBER	PIPE OD (in)	NOMINAL L (ft)	RISE (in)	CATALOG NUMBER	PIPE OD (in)	NOMINAL L (ft)	RISE (in)
WPDG-125-6-S	1.25	6	24	WPDG-125-6-A	1.25	6	24
WPDG-2-6-S	2	6	24	WPDG-2-6-A	2	6	24
WPDG-125-8-S	1.25	8	36	WPDG-125-8-A	1.25	8	36
WPDG-2-8-S	2	8	36	WPDG-2-8-A	2	8	36
WPDG-125-10-S	1.25	10	39	WPDG-125-10-A	1.25	10	39
WPDG-2-10-S	2	10	39	WPDG-2-10-A	2	10	39
WPDG-125-12-S	1.25	12	50	WPDG-125-12-A	1.25	12	50
WPDG-2-12-S	2	12	50	WPDG-2-12-A	2	12	50
WPDG-125-14-S	1.25	14	65	WPDG-125-14-A	1.25	14	65
WPDG-2-14-S	2	14	65	WPDG-2-14-A	2	14	65
WPDG-2-16-S	2	16	81	WPDG-2-16-A	2	16	81
WPDG-2-18-S	2	18	91	WPDG-2-18-A	2	18	91
WPDG-2-20-S	2	20	102	WPDG-2-20-A	2	20	102

NOTES:

- 1) 1.25" IPS PIPE = 1.66" OD
- 2) 2" IPS PIPE = 2.38" OD

**MAST ARM STYLE: UNDERBRACE
POLE TYPE: WOOD**



STEEL (HOT DIP GALV)				ALUMINUM			
CATALOG NUMBER	PIPE OD (in)	NOMINAL L (ft)	RISE (in)	CATALOG NUMBER	PIPE OD (in)	NOMINAL L (ft)	RISE (in)
WPUB-125-6-S	1.25	6	24	WPUB-125-6-A	1.25	6	24
WPUB-2-6-S	2	6	24	WPUB-2-6-A	2	6	24
WPUB-125-8-S	1.25	8	36	WPUB-125-8-A	1.25	8	36
WPUB-2-8-S	2	8	36	WPUB-2-8-A	2	8	36
WPUB-2-10-S	2	10	39				

NOTES:

- 1) 1.25" IPS PIPE = 1.66" OD
- 2) 2" IPS PIPE = 2.38" OD