


**MAST ARM STYLE: SINGLE FLOODLIGHT ARM
POLE TYPE: WOOD**




STEEL (HOT DIP GALV)				ALUMINUM			
CATALOG NUMBER	PIPE OD (in)	NOMINAL L (in)	RISE (in)	CATALOG NUMBER	PIPE OD (in)	NOMINAL L (ft)	RISE (in)
WPF-125-1.33-S	1.25	15	14	WPF-125-1.33-A	1.25	15	14
WPF-2-1.33-S	2	15	14	WPF-2-1.33-A	2	15	14
WPF-125-1.5-S	1.25	18	14	WPF-125-1.5-A	1.25	18	14
WPF-2-1.5-S	2	18	14	WPF-2-1.5-A	2	18	14
WPF-125-1.67-S	1.25	20	14	WPF-125-1.67-A	1.25	20	14
WPF-2-1.67-S	2	20	14	WPF-2-1.67-A	2	20	14
WPF-125-2-S	1.25	24	14	WPF-125-2-A	1.25	24	14
WPF-2-2-S	2	24	14	WPF-2-2-A	2	24	14
WPF-125-2.5-S	1.25	30	14	WPF-125-2.5-A	1.25	30	14
WPF-2-2.5-S	2	30	14	WPF-2-2.5-A	2	30	14
WPF-125-4-S	1.25	48	14	WPF-125-4-A	1.25	48	14
WPF-2-4-S	2	48	14	WPF-2-4-A	2	48	14

NOTES:

- 1) 1.25" IPS PIPE = 1.66" OD
- 2) 2" IPS PIPE = 2.38" OD

**MAST ARM STYLE: DOUBLE FLOODLIGHT ARM
POLE TYPE: WOOD**




STEEL (HOT DIP GALV)				ALUMINUM			
CATALOG NUMBER	PIPE OD (in)	NOMINAL L (in)	RISE (in)	CATALOG NUMBER	PIPE OD (in)	NOMINAL L (ft)	RISE (in)
WP2F-125-1.33-S	1.25	15	14	WP2F-125-1.33-A	1.25	15	14
WP2F-2-1.33-S	2	15	14	WP2F-2-1.33-A	2	15	14
WP2F-125-1.5-S	1.25	18	14	WP2F-125-1.5-A	1.25	18	14
WP2F-2-1.5-S	2	18	14	WP2F-2-1.5-A	2	18	14
WP2F-125-1.67-S	1.25	20	14	WP2F-125-1.67-A	1.25	20	14
WP2F-2-1.67-S	2	20	14	WP2F-2-1.67-A	2	20	14
WP2F-125-2-S	1.25	24	14	WP2F-125-2-A	1.25	24	14
WP2F-2-2-S	2	24	14	WP2F-2-2-A	2	24	14
WP2F-125-2.5-S	1.25	30	14	WP2F-125-2.5-A	1.25	30	14
WP2F-2-2.5-S	2	30	14	WP2F-2-2.5-A	2	30	14
WP2F-125-4-S	1.25	48	14	WP2F-125-4-A	1.25	48	14
WP2F-2-4-S	2	48	14	WP2F-2-4-A	2	48	14

NOTES:

- 1) 1.25" IPS PIPE = 1.66" OD
- 2) 2" IPS PIPE = 2.38" OD

MAST ARM STYLE: DOUBLE FLOODLIGHT ARM – TENON MOUNTING
POLE TYPE: WOOD



STEEL (HOT DIP GALV)				ALUMINUM			
CATALOG NUMBER	PIPE OD (in)	NOMINAL L (in)	RISE (in)	CATALOG NUMBER	PIPE OD (in)	NOMINAL L (ft)	RISE (in)
WP2FT-2-1.33-S	2	15	14	WP2FT-2-1.33-A	2	15	14
WP2FT-2-1.5-S	2	18	14	WP2FT-2-1.5-A	2	18	14
WP2FT-2-1.67-S	2	20	14	WP2FT-2-1.67-A	2	20	14
WP2FT-2-2-S	2	24	14	WP2FT-2-2-A	2	24	14
WP2FT-2-2.5-S	2	30	14	WP2FT-2-2.5-A	2	30	14
WP2FT-2-4-S	2	48	14	WP2FT-2-4-A	2	48	14

NOTES:

- 1) 2" IPS PIPE = 2.38" OD